



ABL ELECTRONIC SUPPLIES, INC.  
 1032-A CENTRAL DRIVE NW  
 CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255

[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)

[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

**MIL-SPEC 3367 TIES**

ABLE Part No	Min. Tensile Strength		Max Bundle Diameter		Appr. Length		MIL SPEC 3367
	LB	KG	IN.	MM.	IN.	MM.	
<b>MINIATURE</b>							
C-T25	18	8	3/4	19.1	3.75	95.3	N/A
C-T35	18	8	15/16	23.8	4.00	101.6	MS3367/4
C-T36	18	8	1 1/2	38.1	5.88	149.4	NOTE 1
C-T37	18	8	2	50.9	7.63	193.8	NOTE 1
<b>INTERMEDIATE</b>							
C-T4	30	13	1	25.4	5.0	127.0	N/A
C-T5	40	18	1 1/4	31.8	6.0	152.4	MS3367/5
C-T40	40	18	2 1/8	54.0	8.5	215.9	NOTE 2
C-T51	40	18	3	76.2	11.5	292.1	NOTE 2
C-T54	40	18	4	101.6	14.5	368.0	NOTE 2
<b>STANDARD</b>							
C-T6	50	22	1 3/4	45	7.5	190.5	MS3367/1
C-T110	50	22	3	76.20	11.0	279.4	MS3367/7
C-T140	50	22	4	102	14.0	355.6	MS3367/2
<b>HEAVY DUTY</b>							
C-TH80	120	54	2	50.8	8.00	202.2	N/A
C-TH120	120	54	3	76.2	11.88	301.6	N/A
C-TH140	120	54	4	101.6	14.72	373.9	MS3367/13
C-TH170	120	54	5	127.0	17.58	446.5	NOTE 3
C-TH210	120	54	6	152.4	21.47	545.3	NOTE 3
C-TH280	120	54	8	203.2	28.91	734.3	MS3367/6
C-TH320	120	54	9	228.6	32	812.8	NOTE 4
<b>EXTRA HEAVY DUTY</b>							
C-THX210	175	78	4	101.6	15	381.0	N/A
C-THX210	175	78	6	152.4	21	533.4	N/A
C-THX240	175	78	7	177.8	24	609.6	N/A
C-THX340	175	78	10	254.0	34	863.6	N/A



ABL ELECTRONIC SUPPLIES, INC.  
 1032-A CENTRAL DRIVE NW  
 CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255  
[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)  
[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

C-THX410	175	78	12	305.0	41	1,032.0	N/A
C-THX480	175	78	15	381.0	48	1,219.2	N/A
<b>LASH ING TIES</b>							
C-THL509	250	113	2	50.8	9	228.6	N/A
C-THL520	250	113	5	127.0	20	508.0	N/A
C-THL522	250	113	6	152.4	22	558.8	N/A
O-THL529	250	113	8	203.2	29	736.6	N/A
C-THL535	250	113	10	254.0	35	889.0	N/A
C-THL541	250	113	12	304.8	41	1,041.4	N/A
<b>RELEASING LASHING TIES</b>							
C-THR509	250	113	2	51	9	228.6	N/A
C-THR520	250	113	5	127.00	20	508.0	N/A
C-THR522	250	113	6	152	22	558.8	N/A
C-THR529	250	113	8	203	29	736.6	N/A
C-THR535	250	113	10	254	35	889.0	N/A
C-THR541	250	113	12	305	41	1,041.4	N/A

STANDARD COLORS: NATURAL, BLACK. Other colors available.

Notes:

- 1. Meets MS33676/4 except accommodates a larger bundle diameter.
- 1. Meets MS33676/5 except accommodates a larger bundle diameter.
- 1. Meets MS33676/3 except accommodates a larger bundle diameter.
- 1. Meets MS33676/3 except accommodates a larger bundle diameter.



ABL ELECTRONIC SUPPLIES, INC.  
1032-A CENTRAL DRIVE NW  
CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255  
[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)  
[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

