



ABL ELECTRONIC SUPPLIES, INC.

1032-A CENTRAL DRIVE NW

CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255

[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)

[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

**POWER SUPPLY CORDS**

		Conductor			Length		Nominal OD		
ABLE Part No.	Wire Type	AWG	Strand	Cond. Colors	Feet	Mtrs.	IN	MM	Fig
<b>SHIELDED 3 CONDUCTOR 60°C</b>									
6000-02M-BL	SVT	19/3	41x34	IEC	8.60	20	0.282	6.65	1
6001-25M-BL	SJT	18/3	41x34	IEC	8.20	2.50	0.337	8.58	1
6002-03M-BL	SJT	isis	65x34	IEC	9.80	3.00	0.339	8.59	1
6003-03M-BL	SJT	14/3	41x30	IEC	9.80	30	0.380	9.65	1

**DETACHABLE POWER SUPPLY CORDS**

		Conductor			Length		Nominal OD		
ABLE Part No.	Wire Type	AWG	Strand	Cond. Colors	Feet	Mtrs.	IN	MM	Fig
<b>UNSHIELDED 3 CONDUCTOR JACKETED 60°C</b>									
3120-008-GY	SVT	18/3	41x34	NA	7.50	2.40	0.253	6.43	2
3120-008-BL	SVT	18/3	41x34	IEC	7.50	2.40	0.253	6.43	2
3123-008-BL	SVT	18/3	41x34	NA	7.50	2.40	0.253	6.43	2
4120-007-BL	SJT	18/3	41x34	IEC	7.00	2.10	0.328	8.33	2
4120-010-BL	SJT	18/3	41x34	IEC	9.90	3.00	0.328	8.33	2
4120-007-BL	SJT	16/3	41x34	IEC	8.20	2.50	0.328	8.33	2
3122-02M-GY	SVT	18/3	41x34	IEC	8.20	2.50	0.253	6.43	3
4122-02M-GY	SJT	16/3	26x30	IEC	8.20	2.50	0.333	8.46	3
3121-008-GY	SVT	18/3	41x34	IEC	8.00	2.40	0.253	6.43	4
2316-008-BL	SJT	16/3	26x30	NA	8.00	2.40	0.329	8.36	5
<b>SHIELDED 3 CONDUCTOR 600°C</b>									
6020-02M-BL	SVT	18/3	41x34	IEC	8.60	2.0	0.262	6.65	2
8021-25M.BL	SJT	18/3	41x34	IEC	8.20	2.5	0.337	8.56	2
8022-25M-BL	SJT	16/3	65x34	IEC	8.20	2.5	0.338	8.59	2
8023-25M-BL	SJT	14/3	41x30	IEC	8.20	2.5	0.380	9.65	2



ABL ELECTRONIC SUPPLIES, INC.  
 1032-A CENTRAL DRIVE NW  
 CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255

[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)

[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

**Conductor Colors**

**NA (North American)**

**LIVE:** Black  
**NEUTRAL:** White  
**GROUND:** Green

**IEC (International)**

**LIVE:** Brown  
**NEUTRAL:** Blue  
**GROUND:** Green/Yellow


**\*CENTER CONDUCTOR: Green for ground only.**

**JACKET COLORS: BL:** Black **GY:** Gray **GYX:** Gray

**CABLE RATINGS**

SPT - 1	1250	10	125
SPT - 2	1250	10	125
SVT	1250	10	125
SJT 18	1250	10	125
SJT 16	1625	13	125
SJT 14	1625	15	125

**Figure 1**



Outer Jacket Removed  
 (ROJ) 2"  
 Conductors Stripped 5/8"

Plug #100-1-013




NEMA 5-15P



ABL ELECTRONIC SUPPLIES, INC.  
1032-A CENTRAL DRIVE NW  
CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255  
[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)  
[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

Figure 2



Plug #107-2-093

Plug #100-1-013




CEE 22-V



NEMA 5-15P

Figure 3



Plug #107-2-093

Plug #100-1-013




CEE 22-V



NEMA 5-15P

Figure 4



Plug #83-2-013

Plug #83-1-013



NEMA 5-15R




NEMA 5-15P



ABL ELECTRONIC SUPPLIES, INC.  
1032-A CENTRAL DRIVE NW  
CONCORD, NC 28027

PHONE/FAX: 704-784-4225/0255  
[SALES@ABLEWIRE-CABLE.COM](mailto:SALES@ABLEWIRE-CABLE.COM)  
[SALES@GROUNDSTRAPS.COM](mailto:SALES@GROUNDSTRAPS.COM)

Figure 5



Plug #83-2-013

Plug #83-1-013



NEMA 5-15R



NEMA 5-15P